

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (vector\$1 with generat\$5 with test\$4) and ((save\$1 or saving or store\$1 or storing or memory or memories) with compress\$5) and reformat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:56
L2	1	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and ((save\$1 or saving or store\$1 or storing or memory or memories) with compress\$5) and clock\$1 and parser\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:57
L3	112	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and captur\$4 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:04
L4	26	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (captur\$4 with compress\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:48
L6	17	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (captur\$4 with compress\$5) and clock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:25
L7	27	(test\$4 with (compress\$6 or compact\$5)) and (captur\$4 with compress\$5) and (clock\$3 with (slow\$3 or reduc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:58
L8	50	(test\$4 with (compress\$6 or compact\$5)) and (captur\$4 with compress\$5) and (clock\$3 with (slow\$3 or reduc\$5 or low\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:59

L9	51	(test\$4 with (compress\$6 or compact\$5)) and (captur\$4 with compress\$5) and (clock\$3 with (slow\$3 or reduc\$5 or low\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:59
L11	1	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (captur\$4 with compress\$5) and analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:25
L12	22	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:26
L13	22	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3 or defect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:49
L14	86	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3 or defect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:51
L15	32	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and (((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) same (error\$1 or fail\$4 or fault\$3 or defect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:52

L16	1	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and (((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) same (replay\$5 or (re adj play\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:51
L17	34	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 11:54
L18	34	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6 or analyz\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:29
L19	1	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (captur\$4 with compress\$5) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6 or analyz\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5)) and (empty\$5 with cycl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:30

L20	3	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6 or analyz\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5)) and (empty\$5 with cycl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:33
L21	88	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6 or analyz\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5)) and (word\$1 with length\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:35
L22	3	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6 or analyz\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5)) and (word\$1 with length\$1) and (compar\$6 with width\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:35
L23	3	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6 or analyz\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5)) and (word\$1 with length\$1) and (compar\$6 with width\$1) and vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:16
L24	638	(702/108).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:10

L25	816	(702/117).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:10
L26	249	(702/118).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:10
L27	2831	(714/718).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:10
L28	344	(714/735).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:10
L29	845	(714/736).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:10
L30	84	(714/737).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:15
L31	1250	(714/738).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:11
L33	689	(324/500).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:14
L34	4383	(324/765).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:14
L35	11513	I24 I25 I26 I27 I28 I29 I31 I33 I34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:16

L36	28	I35 and (test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5))) and (error\$1 or fail\$4 or fault\$3 or defect\$5) and ((identif\$13 or detect\$6 or determin\$6 or analyz\$6) with (error\$1 or fail\$4 or fault\$3 or defect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:17
S1	1	LAWRENCE-ARCHER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:15
S2	12	LAWRENCE-ARCHER-R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:18
S3	3	LAWRENCE-ARCHIBALD-R	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:16
S4	36	(jack near little).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:16
S5	42	(jack near2 little).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:17
S6	1	KLEEN-BRIAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:18
S7	157	(robert near2 barr).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:18
S8	0	S2 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:18

S9	0	S3 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:19
S10	3	S4 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:19
S11	4	S5 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:20
S12	12	S7 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:21
S13	9	(king with tiger).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:21
S14	4	S13 and compress\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:22
S15	21	"5831992"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:26
S16	496	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:28
S17	147	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 15:30
S18	5	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (empty with cycle\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:37

S19	641	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:39
S20	337	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:39
S21	0	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and adress\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:39
S22	233	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:40
S23	146	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:40
S24	122	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (control\$4 with (save\$1 or saving or store\$1 or storing or memory or memories))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:41

S25	76	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (control\$4 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (vector\$1 with memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:43
S26	54	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (control\$4 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (vector\$1 with memor\$3 with generat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:47
S27	122	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (control\$4 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (vector\$1 nearmemor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:47
S28	30	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (control\$4 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (vector\$1 near memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 13:28

S29	10	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (control\$4 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (vector\$1 near memor\$3) and (field\$1 with (save\$1 or saving or store\$1 or storing or memory or memories))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 14:49
S30	8	(test\$4 with (compress\$6 or compact\$5)) and ((save\$1 or saving or store\$1 or storing or memory or memories) with test\$3) and (vector\$1 with generat\$5 with test\$4) and (address\$2 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (control\$4 with (save\$1 or saving or store\$1 or storing or memory or memories)) and (vector\$1 near memor\$3) and (field\$1 with (address\$3 and (control\$5 or instruction\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 15:27
S31	21	"5831992"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 15:27
S32	53	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (vector\$1 with generat\$5 with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 15:49
S33	29	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (vector\$1 with generat\$5 with test\$4) and captur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:58

S34	40	(test\$4 with (compress\$6 or compact\$5)) and ((decompress\$8 or (de adj compress\$5) or decompact\$5 or (de adj compact\$5)) with test\$5) and (vector\$1 with generat\$5 with test\$4) and ((save\$1 or saving or store\$1 or storing or memory or memories) with compress\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:53
-----	----	---	---	----	-----	------------------